L Number		Search Text	DB	Time stamp
8	383	le-vu\$.xp. and (348/\$.ccls. or	USPAT;	2004/02/22 19:41
		375/240\$.ccls.)	EPO;	
			DERWENT;	
			IBM_TDB	
9	1	6363117.pn. and intermediate	USPAT;	2004/02/22 19:42
			EPO;	
	1		DERWENT;	
	İ		IBM TDB	
56	91	(((((fourstep or (four adj step) or ("4" adj	USPAT;	2004/02/22 20:08
		step) or threestep or (three adj step) or	EPO;	
		("3" adj step)) near4 search\$3) or ("3SS" or	DERWENT;	
		"4SS" or "N4SS")) and ((348/\$.ccls. or	IBM TDB	
		375/240\$.ccls.) or 382/\$.ccls.)) or	12.1_122	
		(((coarse near4 fine) with (search\$3 or		
		motion)) and ((348/\$.ccls. or		
		375/240\$.ccls.) or 382/\$.ccls.)) or		
		(((hierarchical or logarithm or fast) near4		
		(search\$3 or motion)) and ((348/\$.ccls. or		
		375/240\$.ccls.) or 382/\$.ccls.))) and		
	-	((((distance or difference or subtract\$)		
		<pre>with (adjacent or neighbor\$3 or border\$3))</pre>		
]	with (pixel or point or pel)))		
58] 1	(le-vu\$.xp. and (348/\$.ccls. or	USPAT;	2004/02/22 20:18
	1	375/240\$.ccls.)) and (((((fourstep or (four	EPO;	
		adj step) or ("4" adj step) or threestep or	DERWENT;	
		(three adj step) or ("3" adj step)) near4	IBM TDB	
		search\$3) or ("3SS" or "4SS" or "N4SS")) and	_	
		((348/\$.ccls. or 375/240\$.ccls.) or		
		382/\$.ccls.)) or (((coarse near4 fine) with		
		(search\$3 or motion)) and ((348/\$.ccls. or		
		375/240\$.ccls.) or 382/\$.ccls.)) or		
		(((hierarchical or logarithm or fast) near4		
		(search\$3 or motion)) and ((348/\$.ccls. or		
		375/240\$.ccls.) or 382/\$.ccls.))) and		
		((((distance or difference or subtract\$)		
		<pre>with (adjacent or neighbor\$3 or border\$3))</pre>		
		<pre>with (pixel or point or pel))))</pre>		
59	39370		USPAT;	2004/02/22 20:20
		or (sum adj absolute) or (block)) near4	EPO;	
		(distance or difference or distortion)) or	DERWENT;	
		MAD or SAD or MBDM or MSD or BDM	IBM_TDB	
60	95	(le-vu\$.xp. and (348/\$.ccls. or	USPAT;	2004/02/22 20:20
		375/240\$.ccls.)) and ((((mean adj square) or	EPO;	
		(mean adj absolute) or (sum adj absolute) or	DERWENT;	
		(block)) near4 (distance or difference or	IBM TDB	
		distortion)) or MAD or SAD or MBDM or MSD or	_	
		BDM)		
61	14981	(((mean adj square) or (mean adj absolute)	USPAT;	2004/02/22 20:20
01	14301	or (sum adj absolute) near4 (distance or	EPO;	2004,02,22 20:20
			DERWENT;	
		difference or distortion)) or MAD or SAD or	1	1
		MBDM or MSD or BDM	IBM_TDB	2004/00/00 00 ==
62	39		USPAT;	2004/02/22 20:20
		375/240\$.ccls.)) and (((mean adj square) or	EPO;	
		(mean adj absolute) or (sum adj absolute))	DERWENT;	
		near4 (distance or difference or	IBM_TDB	
		distortion)) or MAD or SAD or MBDM or MSD or		
		BDM)		
63	150795	(distance or difference or subtract\$) with	USPAT;	2004/02/22 20:31
		(adjacent or neighbor\$3 or border\$3)	EPO;	
			DERWENT;	
	I		IBM TDB	
	1	1	_	2004/02/22 20.32
64	290	((((mean adi square) or (mean adi absolute)		
64	290		USPAT;	2004/02/22 20:32
64	290	or (sum adj absolute)) near4 (distance or	EPO;	2004/02/22 20:32
64	290	or (sum adj absolute)) near4 (distance or difference or distortion)) or MAD or SAD or	EPO; DERWENT;	2004/02/22 20:32
64	290	or (sum adj absolute)) near4 (distance or difference or distortion)) or MAD or SAD or MBDM or MSD or BDM) same ((distance or	EPO;	2004/02/22 20:32
64	290	or (sum adj absolute)) near4 (distance or difference or distortion)) or MAD or SAD or MBDM or MSD or BDM) same ((distance or difference or subtract\$) with (adjacent or	EPO; DERWENT;	2004/02/22 20:32
		or (sum adj absolute)) near4 (distance or difference or distortion)) or MAD or SAD or MBDM or MSD or BDM) same ((distance or difference or subtract\$) with (adjacent or neighbor\$3 or border\$3))	EPO; DERWENT; IBM_TDB	
64	290 89628	or (sum adj absolute)) near4 (distance or difference or distortion)) or MAD or SAD or MBDM or MSD or BDM) same ((distance or difference or subtract\$) with (adjacent or neighbor\$3 or border\$3)) distance or difference or subtract\$) near6	EPO; DERWENT; IBM_TDB	2004/02/22 20:32
		or (sum adj absolute)) near4 (distance or difference or distortion)) or MAD or SAD or MBDM or MSD or BDM) same ((distance or difference or subtract\$) with (adjacent or neighbor\$3 or border\$3))	EPO; DERWENT; IBM_TDB	
		or (sum adj absolute)) near4 (distance or difference or distortion)) or MAD or SAD or MBDM or MSD or BDM) same ((distance or difference or subtract\$) with (adjacent or neighbor\$3 or border\$3)) distance or difference or subtract\$) near6	EPO; DERWENT; IBM_TDB	

Page 1

68	185	((((mean adj square) or (mean adj absolute) or (sum adj absolute)) near4 (distance or difference or distortion)) or MAD or SAD or MBDM or MSD or BDM) with (distance or difference or subtract\$) near6 (adjacent or	USPAT; EPO; DERWENT; IBM_TDB	2004/02/22 20:32
69	66700	neighbor\$3 or border\$3) (348/\$.ccls. or 375/240\$.ccls.) or 382/\$.ccls.	USPAT; EPO; DERWENT;	2004/02/22 20:33
70	92	(((((mean adj square) or (mean adj absolute) or (sum adj absolute)) near4 (distance or difference or distortion)) or MAD or SAD or MBDM or MSD or BDM) with (distance or difference or subtract\$) near6 (adjacent or neighbor\$3 or border\$3)) and ((348/\$.ccls.or 375/240\$.ccls.)	IBM_TDB USPAT; EPO; DERWENT; IBM_TDB	2004/02/22 20:33
-	42188		USPAT; EPO; DERWENT;	2004/02/12 18:43
-	24202	motion with step	IBM_TDB USPAT; EPO; DERWENT;	2004/02/12 18:43
-	175	(fourstep or (four adj step) or ("4" adj step)) with motion	IBM_TDB USPAT; EPO; DERWENT;	2004/02/17 11:28
-	14521	or (sum adj absolute) or (minumum adj block)) near4 (distance or difference)) or	IBM_TDB USPAT; EPO; DERWENT;	2004/02/17 11:40
-	37332	or (sum adj absolute) or (block)) near4 (distance or difference)) or MAD or SAD or	IBM_TDB USPAT; EPO; DERWENT;	2004/02/17 15:14
-	42281	MBDM or MSD or BDM (fourstep or (four adj step) or ("4" adj step)) or "4SS" or "N4SS"	IBM_TDB USPAT; EPO; DERWENT;	2004/02/17 12:24
-	356	((fourstep or (four adj step) or ("4" adj step)) or "4SS" or "N4SS") same (motion)	IBM_TDB USPAT; EPO; DERWENT;	2004/02/17 12:20
-	156	((fourstep or (four adj step) or ("4" adj step)) or "4SS" or "N4SS") with search	IBM_TDB USPAT; EPO; DERWENT;	2004/02/17 12:20
-	6	(((fourstep or (four adj step) or ("4" adj step)) or "4SS" or "N4SS") same (motion)) and (((fourstep or (four adj step) or ("4" adj step)) or "4SS" or "N4SS") with search)	IBM_TDB USPAT; EPO; DERWENT;	2004/02/17 12:20
-	44	((((mean adj square) or (mean adj absolute) or (sum adj absolute) or (block)) near4 (distance or difference)) or MAD or SAD or MBDM or MSD or BDM) and (((fourstep or (four adj step)) or "4SS" or	IBM_TDB USPAT; EPO; DERWENT; IBM_TDB	2004/02/17 12:22
-	89	"N4SS") same (motion)) (fourstep or (four adj step) or ("4" adj step)) near4 search\$3	USPAT; EPO; DERWENT;	2004/02/17 12:24
-	228	(threestep or (three adj step) or ("3" adj step)) near4 search\$3	IBM_TDB USPAT; EPO; DERWENT; IBM_TDB	2004/02/17 12:24
-	127	"3SS" or "4SS" or "N4SS"	USPAT; EPO; DERWENT; IBM_TDB	2004/02/17 12:24

-	428	((fourstep or (four adj step) or ("4" adj	USPAT;	2004/02/20 19:31
		step)) near4 search\$3) or ((threestep or	EPO;	
		(three adj step) or ("3" adj step)) near4	DERWENT;	
		search\$3) or ("3SS" or "4SS" or "N4SS")	IBM_TDB	2004/02/17 12:56
-	73	(((fourstep or (four adj step) or ("4" adj	USPAT;	2004/02/17 12:56
İ		step)) near4 search\$3) or ((threestep or (three adj step) or ("3" adj step)) near4	EPO; DERWENT;	
		search\$3) or ("3SS" or "4SS" or "N4SS")) and	IBM TDB	
		((((mean adj square) or (mean adj absolute)	1611_166	
		or (sum adj absolute) or (block)) near4		
		(distance or difference or distortion)) or		
		MAD or SAD or MBDM or MSD or BDM)		
_	0	388/384.ccls.	USPAT;	2004/02/17 12:57
			EPO;	
			DERWENT;	
			IBM_TDB	
-	0	388/384.1.ccls.	USPAT;	2004/02/17 12:57
			EPO;	
			DERWENT;	
	217	249/294 1 gglg	IBM_TDB USPAT;	2004/02/17 12:58
-	217	348/384.1.ccls.	EPO;	2004/02/1/ 12:50
			DERWENT;	
1			IBM TDB	
l -	44136	intermediate near4 (pixel or point or pel)	USPAT;	2004/02/17 13:45
	1		EPO;	
			DERWENT;	
			IBM_TDB	
-	11	(((fourstep or (four adj step) or ("4" adj	USPAT;	2004/02/17 13:46
1		step)) near4 search\$3) or ((threestep or	EPO;	
		(three adj step) or ("3" adj step)) near4	DERWENT;	
		search\$3) or ("3SS" or "4SS" or "N4SS")) and	IBM_TDB	
l _	150774	(intermediate near4 (pixel or point or pel)) (distance or difference or subtract\$) with	USPAT;	2004/02/17 15:16
-	150//4	(distance or difference of subtracts) with (adjacent or neighbor\$3 or border\$3)	EPO;	2004/02/1/ 15:10
		(adjacent of nerginory) of bordery)	DERWENT;	
			IBM TDB	
-	16386	((distance or difference or subtract\$) with	USPAT;	2004/02/17 15:16
		(adjacent or neighbor\$3 or border\$3)) with	EPO;	
		(pixel or point or pel)	DERWENT;	
			IBM_TDB	0004/00/00 == ==
-	593	(((distance or difference or subtract\$) with	USPAT;	2004/02/20 21:18
-		(adjacent or neighbor\$3 or border\$3)) with	EPO;	
		(pixel or point or pel)) same (motion)	DERWENT; IBM TDB	
_	4	(((fourstep or (four adj step) or ("4" adj	USPAT;	2004/02/17 15:32
_		step)) near4 search\$3) or ((threestep or	EPO;	
		(three adj step) or ("3" adj step)) near4	DERWENT;	
		search\$3) or ("3SS" or "4SS" or "N4SS")) and	IBM_TDB	
		((((distance or difference or subtract\$)		
		with (adjacent or neighbor\$3 or border\$3))		
		with (pixel or point or pel)) same (motion))		
_	952		USPAT;	2004/02/17 15:33
		or (sum adj absolute) or (block)) near4	EPO;	
		(distance or difference)) or MAD or SAD or	DERWENT;	
_	56	MBDM or MSD or BDM) with subtract\$ (((((mean adj square) or (mean adj absolute)	IBM_TDB USPAT;	2004/02/20 19:32
-	36	or (sum adj absolute) or (block)) near4	EPO;	2004/02/20 19:32
		(distance or difference)) or MAD or SAD or	DERWENT;	
		MBDM or MSD or BDM) with subtract\$) and	IBM TDB	
		((fourstep or (four adj step) or ("4" adj		
		step)) or "4SS" or "N4SS")	1	
-	1323	le-vu\$.xp.	USPAT;	2004/02/20 19:23
			EPO;	
			DERWENT;	
		10.04	IBM_TDB	0004/00/00
-	44760	348/\$.ccls.	USPAT;	2004/02/20 19:23
			EPO; DERWENT;	
			IBM TDB	
1			177.1 1775	1

-	5036	375/240\$.ccls.	USPAT; EPO;	2004/02/20 19:23
	48176	348/\$.ccls. or 375/240\$.ccls.	DERWENT; IBM_TDB USPAT;	2004/02/20 19:23
	40176	340/0.0018. 01 3/3/2400.0018.	EPO; DERWENT;	2004/02/20 19:23
_	613	(MAD or SAD or MBDM or MSD or BDM) with (subtract\$ or difference\$3 or differential)	IBM_TDB USPAT; EPO; DERWENT;	2004/02/20 19:40
-	29	<pre>(((fourstep or (four adj step) or ("4" adj step) or threestep or (three adj step) or ("3" adj step)) near4 search\$3) or ("3SS" or "4SS" or "N4SS")) and ((MAD or SAD or MBDM or MSD or BDM) with (subtract\$ or difference\$3 or differential))</pre>	IBM_TDB USPAT; EPO; DERWENT; IBM_TDB	2004/02/20 19:40
-	428	((fourstep or (four adj step) or ("4" adj step) or threestep or (three adj step) or ("3" adj step)) near4 search\$3) or ("3SS" or "4SS" or "N4SS")	USPAT; EPO; DERWENT; IBM TDB	2004/02/20 19:50
-	22394	382/\$.ccls.	USPAT; EPO; DERWENT; IBM TDB	2004/02/20 19:50
-	6231	(hierarchical or logarithm or fast) near4 (search\$3 or motion)	USPAT; EPO; DERWENT; IBM TDB	2004/02/20 21:07
-	489	(coarse near4 fine) with (search\$3 or motion)	USPAT; EPO; DERWENT; IBM TDB	2004/02/20 21:07
-	101	((coarse near4 fine) with (search\$3 or motion)) and ((348/\$.ccls. or 375/240\$.ccls.) or 382/\$.ccls.)	USPAT; EPO; DERWENT; IBM TDB	2004/02/20 21:17
-	97	(((fourstep or (four adj step) or ("4" adj step) or threestep or (three adj step) or ("3" adj step)) near4 search\$3) or ("3SS" or "4SS" or "N4SS")) and ((348/\$.ccls. or 375/240\$.ccls.)	USPAT; EPO; DERWENT; IBM_TDB	2004/02/20 21:08
-	941	((hierarchical or logarithm or fast) near4 (search\$3 or motion)) and ((348/\$.ccls. or 375/240\$.ccls.) or 382/\$.ccls.)	USPAT; EPO; DERWENT; IBM TDB	2004/02/20 21:17
-	1057	((((fourstep or (four adj step) or ("4" adj step) or threestep or (three adj step) or ("3" adj step)) near4 search\$3) or ("3SS" or "4SS" or "N4SS")) and ((348/\$.ccls. or 375/240\$.ccls.) or 382/\$.ccls.)) or (((coarse near4 fine) with (search\$3 or motion)) and ((348/\$.ccls. or 375/240\$.ccls.) or 382/\$.ccls.)) or (((hierarchical or logarithm or fast) near4 (search\$3 or motion)) and ((348/\$.ccls. or 375/240\$.ccls.) or 382/\$.ccls.))	USPAT; EPO; DERWENT; IBM_TDB	2004/02/20 21:17
-	16386		USPAT; EPO; DERWENT; IBM TDB	2004/02/20 21:18
-	2	5151784.pn.	USPAT; EPO; DERWENT; IBM_TDB	2004/02/20 21:18